

Bibliographie zum RAI-System

Grundlagen

Anliker M., Bartelt G., (2015)

Resident Assessment Instrument in der Schweiz.

Z Geronto Geriat 48(2) 114-120

Anliker M (2007)

Erfahrungen mit RAI in den Alters- und Pflegeheimen der Schweiz.

Printernet 9(5) 332-335

Bartelt G, Anliker M (2012)

Auswertung von RAI-Daten im Auftrag der Schweizerischen Alzheimervereinigung

Management Summary Technischer Bericht.

St. Gallen: Q-Sys AG.

Gilgen R, Garms-Homolova V (1995)

Resident Assessment Instrument (RAI): A system for client evaluation and documentation in long-term care – an overview.

Z Gerontol Geriatr 28(1) 25-28

Kalkhoff S (2008)

Das RAI in der praktischen Umsetzung

Die Schwester/Der Pfleger 47(3) 267-271

Hawes C, Morris JN, Phillips CD et al. (1995)

Reliability estimates for the Minimum Data Set for nursing home resident assessment and care screening.

Gerontologist 35(2) 172-178

Morris JN, Hawes C, Fries BE et al. (1990)

Designing the national Resident Assessment Instrument for nursing homes.

Gerontologist 30(3) 293-307

Morris JN, Nonemaker S, Murphy K et al. (1997)

A commitment to change: revision of HCFA's RAI.

J Am Geriatr Soc 45(8) 1011-1016

Evaluation

Fries, B. E., Hawes, C., Morris, J. N. et al. (1997)

Effect of the national Resident Assessment Instrument on selected health conditions and problems.

J Am Geriatr Soc 45(8) 994-1001

Gattinger H., Ott S., Sacher S. (2014)

Interrater-Reliabilität und Übereinstimmung der Schweizer RAI-MDS Version 2.0.

Pflege, 27(1), 19-29.

Hawes, C., Morris, J.N., Phillips C.D. et al. (1997)

Development of the nursing home Resident Assessment Instrument in the USA.

Age Ageing, 26 (Suppl 2) 19-25

- Hirdes JP, Ljunggren G, Morris JN et al. (2008)
Reliability of the interRAI suite of assessment instruments: A 12-country study of an integrated health information system.
BMC Health Serv Res 8 No.277
- Marek KD, Rantz MJ, Fagin CM et al. (1996)
OBRA '87 - Has it resulted in better quality of care?
J Gerontol Nurs (10) 28-36
- Mor V, Intrator O, Fries BE et al. (1997)
Changes in hospitalization associated with introducing the Resident Assessment Instrument.
J Am Geriatr Soc 45(8) 1002-1010
- Ouslander, J. G. (1997)
The Resident Assessment Instrument (RAI): promise and pitfalls.
J Am Geriatr Soc 45(8) 975-976
- Phillips CD, Morris JN, Hawes C et al. (1997)
Association of the Resident Assessment Instrument (RAI) with changes in function, cognition and psychosocial status.
J Am Geriatr Soc 45(8) 986-993
- SZB, Schweizerischer Zentralverein für das Blindenwesen (2017)
Sehen und hören in Spitäler- und Heimpflege, Studie zu Sinneserkrankungen und Demenz im Spiegel des RAI-Assessments in Alters- und Pflegeheimen sowie in der ambulanten Krankenpflege der Schweiz
- Vladeck, B. (1996)
The past, present, and the future of nursing home quality.
JAMA 275(6) 425

Im RAI-NH verwendete Skalen

- Anderson RL, Buckwalter KC, Buchanan RJ et al. (2003)
Validity and reliability of the Minimum Data Set Depression Rating Scale (MDSDRS) for older adults in nursing homes.
Age Ageing 32 (4) 435-438
- Beck AM, Ovesen L, Schroll M (2001)
Validation of the RAI triggers in the detection of under-nutrition.
Age Ageing 30(2) 161-165
- Burrows AB, Morris JN, Simon SE et al. (2000)
Development of a Minimum Data Set-based depression rating scale for use in nursing homes.
Age Ageing 29(2) 165-172
- Fries BE, Simon SE, Morris JN et al. (2001)
Pain in U.S. nursing homes: validating a pain scale for the Minimum Data Set.
Gerontologist 41(2) 173-179
- Morris JN, Fries BE, Mehr DR et al. (1994)
MDS Cognitive Performance Scale.
J Gerontol 49A(4) M174-M182
- Paquay L, De Lepeleire JD, Schoenmakers B et al. (2007)
Comparison of the diagnostic accuracy of the Cognitive Performance Scale (Minimum Data Set) and the mini-mental state exam for the detection of cognitive impairment in nursing home residents.
Int J Geriatr Psychiatry 22 286-293

Perlman CM, Hirsh JP (2008)

The Aggressive Behavior Scale: a new scale to measure aggression based on the Minimum Data Set

J Am Geriatr Soc 56(12) 2298-2303

Travers C, Byrne GJ, Pachana NA et al. (2013)

Validation of the Interrai Cognitive Performance Scale against independent clinical diagnosis and the mini-mental state examination in older hospitalized patients.

J Nutrition, Health, Aging 17(5)

Porock D., Parker-Oliver D., Petroski G. et al. (2010)

The MDS Mortality Risk Index: The evolution of a method for predicting 6-month mortality in nursing home residents

Qualität, Qualitätsindikatoren

Arling G, Karon SL, Sainfort F et al. (1997).

Risk adjustment of nursing home quality indicators.

Gerontologist 37(6) 757-766

Castle NG, Ferguson JC (2010).

What Is Nursing Home Quality and How Is It Measured?

Gerontologist 50 (4) 426-442.

Engel K (2008)

Qualität in der vollstationären Langzeitpflege.

Die Schwestern/Der Pfleger 47(9) 839-841

Garms-Homolová V, Roth G (2004).

Vorkommen, Ursachen und Vermeidung von Pflegemängeln

Forschungsbericht im Auftrag der Enquetekommission Nordrhein-Westfalen;
Berlin, Göttingen

Morris JN, Moore T, Mor V et al. (2002).

Validation of long-term and post-acute care quality indicators (final draft report version 2).

Cambridge, Rhode Island

Mukamel DB, Glance LG, Li Y et al. (2008)

Does risk adjustment of the CMS quality measures for nursing homes matter?

Med care 46 (5)532-541

Phillips CD, Zimmerman D, Bernabei R et al. (1997).

Using the Resident Assessment Instrument for quality enhancement in nursing homes.

Age Ageing 26 (Suppl2) 77-81

Rantz MJ, Hicks L, Petroski GF et al. (2004).

Stability and sensitivity of nursing home quality indicators.

J Gerontology 59A(1) M79-M82

Rantz MJ, Mehr DR, Conn VS et al. (1996).

Assessing quality of nursing home care: the foundation for improving resident outcomes.

J Nurs Care Qual 10(4) 1-9

Rantz MJ, Petroski GF, Madsen RW et al. (2000).

Setting thresholds for quality indicators derived from MDS data for nursing home quality improvement reports: an update.

Jt Comm J Qual Improv 26(2) 101-110

Rantz MJ, Popejoy L, Mehr DR et al. (1997).

Verifying nursing home care quality using Minimum Data Set quality indicators and other quality measures.

J Nurs Care Qual 12(2) 54-62

Rantz MJ, Popejoy L, Petroski GF et al. (2001).

Randomized clinical trial of a quality improvement intervention in nursing homes.

Gerontologist 41(4) 525-538

Zimmerman DR, Karon SL, Arling G et al. (1995).

The development and testing of nursing home quality indicators.

Health Care Finance Rev 16(4) 107-127

Pflegeaufwandgruppen (RUGs)

Bartelt G, Anliker M, Staudenmaier B (2004).

Interkantonale Zeitstudie der RAI-Anwender Kantone Aargau, Basel Stadt, Bern, Solothurn, Zürich zur schweizerischen Validierung der Pflegeaufwandgruppen (RUGs).

St. Gallen: Q-Sys AG.

Carpenter GI, Main A, Turner GF (1995).

Casemix for the elderly inpatient: Resource Utilization Groups (RUGs) validation project. Casemix for the elderly inpatient working group.

Age Ageing 24(1) 5-13

Carpenter GI, Turner GF, Fowler RW (1997).

Casemix for inpatient care of elderly people: rehabilitation and post-acute care.

Age Ageing 26(2) 123-131

Fries BE, Schneider DP, Foley WJ et al. (1994).

Refining a case-mix measure for nursing homes: resource utilization.

Med care 32(7) 668-685

Ikegami N, Fries BE, Takagi Y et al. (1994).

Applying RUG-III in Japanese long-term care facilities.

Gerontologist 34(5) 628-639

Mehr DR, Fries BE (1995).

Resource use on Alzheimer's special care units.

Gerontologist 35(2) 179-184

White C, Pizer SD, White AJ (2002).

Assessing the RUG-III resident classification system for skilled nursing facilities.

Health Care Financ Rev 24(2) 7-15

Pflegedokumentation

Wipp M, Buschkämper R, Kamm J (2004).
Entbürokratisierung der Pflegedokumentation.
Projektbericht Bayer. Staatsmin. Arb. + Sozialordnung 06.02.2004
URL: <http://www.stmas.bayern.de/pflege/stationaer/entbuero.htm#bericht>
[accessed 2006-10-12]

RAI-Home Care

Bernabei R, Landi F, Onder G et al. (2008).
Second and third generation assessment instruments: The birth of standardization
in geriatric care.
J Gerontol Med Sci 63A(3) 308-313

Bjorkgren MA, Fries BE, Shugarman LR (2000).
A RUG-III case-mix system for home care.
Can J Aging 19(Suppl. 2) 106-125

Landi F, Gambassi G, Pola R et al. (1999).
Impact of integrated home care services on hospital use.
J Am Geriatr Soc 47(12) 1430-1434

Landi F, Onder G, Tua E et al. (2001).
Impact of a new assessment system, the MDS-HC, on function and hospitalization
of homebound older people: a controlled clinical trial.
J Am Geriatr Soc 49(10) 1288-1293

Landi F, Tua E, Onder G et al. (2000).
Minimum Data Set for home care: a valid instrument to assess frail older people living
in the community.
Med Care 38(12) 1184-1190

Morris JN, Fries BE, Steel K et al. (1997).
Comprehensive clinical assessment in community setting: applicability of the MDS-
HC.
J Am Geriatr Soc 45(8) 1017-1024

Mylaeus-Renggi M (2006)
Entwicklung und Einführung von RAI-HC Schweiz als einheitliches Bedarfsabklär-
ungssystem.
Printernet 8(9) 477-486

Varia

Anliker M, Beyeler L, Kissling A (2005).
Erwartungen der Alters- und Pflegeheime an die Zusammenarbeit mit den Hausärz-
tinnen und Hausärzten.
Primary Care 5(30/31) 647-649

Glenny C, Stolee P (2009)
Comparing the Functional Independence Measure and the interRAI/MDS for use in
the functional assessment of older adults: A review of the literature
BMC Geriatrics 9-53

Yamada Y, Ikegami N (2003).
Preventive home visits for community-dwelling frail elderly people based on Mini-
mum Data Set-Home Care: Randomized controlled trial.
Geriatr Gerontol Int 3(3) 236-242